


GARRISON KEILLOR: MY HOMETOWN

NGM.COM FEBRUARY 2014

NATIONAL
GEOGRAPHIC



The
New Science
of the
Brain



ERIKA LARSEN

Olivia Rowe keeps pigeons. Her sisters prefer horses and sheep. They are the great-granddaughters of Garrison Keillor's Aunt Josephine.

February 2014

28 **Secrets of the Brain**

"It'll take me a moment to locate your brain," the scientist says. With new technologies, he's able to shed light on life's great unsolved mystery: how the human mind really works.

By Carl Zimmer Photographs by Robert Clark

58 **There's No Place Like Home**

When a man lives in one place for most of his life, he doesn't need GPS. He is guided by memories of boyhood bike rides, the ever present Mississippi, and the undeniable power of rhubarb.

By Garrison Keillor Photographs by Erika Larsen

84 **Brunelleschi's Dome**

How did a hot-tempered goldsmith create the miraculous edifice in Florence?

By Tom Mueller Photographs by Dave Yoder

Special Poster: The Cathedral of Florence and Redefining the Dome

96 **Gold Fever in the Yukon**

Prospectors invade Canada's great wilderness.

By Tom Clynes Photographs by Paul Nicklen

120 **Karma of the Crowd**

Millions of pilgrims flock to a Hindu gathering in India—and find inner peace in numbers.

By Laura Spinney Photographs by Alex Webb

- 4 **Editor's Note**
- 6 **Letters**
- 8 **Survival Guide**



10 **VISIONS** ▶

16 **Your Shot**

18 **NEXT**

An Elephant Never Runs Out

The mammal's six sets of chompers are enough for a lifetime of chewing.

Rooftop Tsunami Refuge

It will be built atop a new school in Westport, Washington.

The Benefit of Pruney Digits

The ridges could have helped ancient humans catch fish or clamber over slick rocks.

Fly Like an Owl

A barn owl barely flaps. Engineers aim to mimic its wings to make quieter aircraft.

Quinoa Conquers the World

The high-protein Andean seed could help fight hunger—if we can grow enough of it.

The 50-Million-Year-Old Bird

A newly discovered fossil is thought to be a cousin of the hummingbird and the swift.

Why Women Remember Faces

They're better scanners than men.



- 136 **NG Connect**
- 138 **The Moment Found**



On the Cover The colored fibers connect different regions of the brain. *Magnetic resonance image by Van Wedeen and L. L. Wald, Martinos Center for Biomedical Imaging, Human Connectome Project*


Subscriptions For subscriptions, gift memberships, or changes of address, contact Customer Service at ngmservice.com or call 1-800-NGS-LINE (647-5463). Outside the U.S. and Canada please call +1-813-979-6845.

Contributions to the National Geographic Society are tax deductible under Section 501(c)(3) of the U.S. tax code. Copyright © 2014 National Geographic Society. All rights reserved. National Geographic and Yellow Border: Registered Trademarks ® Marcas Registradas. National Geographic assumes no responsibility for unsolicited materials. Printed in U.S.A.



DIGITAL EDITIONS

National Geographic is available on the iPad, the Kindle Fire, and the iPhone.



Human Brain Map
Audio Slide Show
Brain imaging guides a surgeon's work.




Florence's Cathedral
360° View
You won't even need to crane your neck.


ART: FERNANDO G. BAPTISTA, NGM STAFF

PRINTED ON 100% PEFC-CERTIFIED PAPER



Please recycle.





MIND MACHINE

An engineer wears a helmet of sensors at the Martinos Center for Biomedical Imaging—part of a brain scanner requiring almost as much power as a nuclear submarine. Antennas pick up signals produced when the scanner's magnetic field excites water molecules in the brain. Computers convert this data into brain maps like the one on pages 34-35.

1.



SECRETS OF THE BRAIN

*New technologies are shedding light
on biology's greatest unsolved mystery:
how the brain really works.*



- 1. Frontal cortex
- 2. Motor cortex
- 3. Parietal lobe
- 4. Corpus callosum
- 5. Thalamus
- 6. Occipital lobe
- 7. Temporal lobe
- 8. Brain stem
- 9. Cerebellum



THE COLOR OF THOUGHT

The brain's many regions are connected by some 100,000 miles of fibers called white matter—enough to circle the Earth four times. Images like this, taken at the Martinos Center, reveal for the first time the specific pathways underlying cognitive functions. The pink and orange bundles, for example, transmit signals critical for language.

VAN WEDEEN AND L. L. WALD, MARTINOS CENTER
FOR BIOMEDICAL IMAGING, HUMAN CONNECTOME PROJECT



BY CARL ZIMMER

PHOTOGRAPHS BY ROBERT CLARK

Van Wedeen strokes his half-gray beard and leans toward his computer screen, scrolling through a cascade of files. We're sitting in a windowless library, surrounded by speckled boxes of old letters, curling issues of scientific journals, and an old slide projector that no one has gotten around to throwing out.

"It'll take me a moment to locate your brain," he says.

On a hard drive Wedeen has stored hundreds of brains—exquisitely detailed 3-D images from monkeys, rats, and humans, including me. Wedeen has offered to take me on a journey through my own head.

"We'll hit all the tourist spots," he promises, smiling.


This is my second trip to the Martinos Center for Biomedical Imaging, located in a former ship-rope factory on Boston Harbor. The first time, a few weeks ago, I offered myself as a neuroscientific guinea pig to Wedeen and his colleagues. In a scanning room I lay down on a slab, the back of my head resting in an open plastic box. A radiologist lowered a white plastic helmet over my face. I looked up at him through two eyeholes as he screwed the helmet tight, so that the 96 miniature antennas it contained


would be close enough to my brain to pick up the radio waves it was about to emit. As the slab glided into the cylindrical maw of the scanner, I thought of *The Man in the Iron Mask*.

The magnets that now surrounded me began to rumble and beep. For an hour I lay still, eyes closed, and tried to keep myself calm with my own thoughts. It wasn't easy. To squeeze as much resolution as possible out of the scanner, Wedeen and his colleagues had designed the device with barely enough room for a person of my build to fit inside. To tamp down the panic, I breathed smoothly and transported myself to places in my memory, at one point recalling how I had once walked my nine-year-old daughter to school through piles of blizzard snow.

As I lay there, I reflected on the fact that all of these thoughts and emotions were the creation of the three-pound loaf of flesh that was under scrutiny: my fear, carried by electrical impulses converging in an almond-shaped chunk of tissue in my brain called the amygdala, and the calming response to it, marshaled in regions of my frontal cortex. My memory of my walk with my daughter was coordinated by a seahorse-shaped fold of neurons called the hippocampus, which reactivated a vast web of links throughout my brain that had first fired when I had clambered over the snowbanks and formed those memories.

I was submitting to this procedure as part of my cross-country reporting to chronicle one of the great scientific revolutions of our times: the stunning advances in understanding the workings of the human brain. Some neuroscientists are zooming in on the fine structure of individual nerve cells, or neurons. Others are charting the biochemistry of the brain, surveying how our billions of neurons produce and employ thousands of different kinds of proteins. Still others, Wedeen among them, are creating in unprecedented detail representations of the brain's wiring: the network of some 100,000 miles of nerve fibers, called white matter, that connects the various components of the mind, giving rise to everything we think, feel, and perceive. The U.S. government is throwing its weight behind this research through the Brain Research





ANATOMY OF A MYSTERY

Scientists have studied the brain for centuries, but by the 1800s they could still make out only the regions visible to the naked eye, as shown in this illustration. New technologies let scientists peer deep into the hidden structure of the brain. A high-resolution view of the image on the previous two pages reveals white matter fibers arranged in a mysterious grid structure (opposite), like longitude and latitude lines on a map.

BURROWING DOWN TO SINGLE NERVE CELLS MAY FINALLY PROVIDE ANSWERS TO BASIC QUESTIONS ABOUT THE BRAIN.

through Advancing Innovative Neurotechnologies (BRAIN) Initiative. In an announcement last spring President Barack Obama said that the large-scale project aimed to speed up the mapping of our neural circuitry, “giving scientists the tools they need to get a dynamic picture of the brain in action.”

As they see the brain in action, neuroscientists can also see its flaws. They are starting to identify differences in the structure of ordinary brains and brains of people with disorders such as schizophrenia, autism, and Alzheimer’s disease. As they map the brain in greater detail, they may learn how to diagnose disorders by their effect on anatomy, and perhaps even understand how those disorders arise.

On my return trip to his lab Wedeen finally locates the image from my session in the scanner. My brain appears on his screen. His technique, called diffusion spectrum imaging, translates radio signals given off by the white matter into a high-resolution atlas of that neurological Internet. His scanner maps bundles of nerve fibers that form hundreds of thousands of pathways carrying information from one part of my brain to another. Wedeen paints each path a rainbow of colors, so that my brain appears as an explosion of colorful fur, like a psychedelic Persian cat.

Wedeen focuses in on particular pathways, showing me some of the circuitry important to language and other kinds of thought. Then he pares away most of the pathways in my brain, so that I can more easily see how they’re organized. As he increases the magnification, something astonishing takes shape before me. In spite of the dizzying complexity of the circuits, they all intersect at right angles, like the lines on a sheet of graph paper.

“It’s all grids,” says Wedeen.

When Wedeen first unveiled the grid structure of the brain, in 2012, some scientists were skeptical, wondering if he’d uncovered only part of a much more tangled anatomy. But Wedeen

is more convinced than ever that the pattern is meaningful. Wherever he looks—in the brains of humans, monkeys, rats—he finds the grid. He notes that the earliest nervous systems in Cambrian worms were simple grids—just a pair of nerve cords running from head to tail, with runlike links between them. In our own lineage the nerves at the head end exploded into billions but still retained that gridlike structure. It’s possible that our thoughts run like streetcars along these white matter tracks as signals travel from one region of the brain to another.

“There’s zero chance that there are not principles lurking in this,” says Wedeen, peering intently at the image of my brain. “We’re just not yet in a position to see the simplicity.”

SCIENTISTS ARE LEARNING SO much about the brain now that it’s easy to forget that for much of history we had no idea at all how it worked or even what it was. In the ancient world physicians believed that the brain was made of phlegm. Aristotle looked on it as a refrigerator, cooling off the fiery heart. From his time through the Renaissance, anatomists declared with great authority that our perceptions, emotions, reasoning, and actions were all the result of “animal spirits”—mysterious, unknowable vapors that swirled through cavities in our head and traveled through our bodies.

The scientific revolution in the 17th century began to change that. The British physician Thomas Willis recognized that the custardlike tissue of the brain was where our mental world existed. To understand how it worked, he dissected brains of sheep, dogs, and expired patients, producing the first accurate maps of the organ.

It would take another century for researchers to grasp that the brain is an electric organ. Instead of animal spirits, voltage spikes travel through it and out into the body’s nervous system. Still, even in the 19th century scientists knew little about the paths those spikes followed. The Italian physician Camillo Golgi argued that the brain was a seamless connected web. Building on Golgi’s research, the Spanish scientist Santiago Ramón y Cajal tested new ways of staining individual

Carl Zimmer wrote on bringing back extinct species in the April 2013 issue. Robert Clark’s previous story, on sugar, was in the August 2013 issue.

neurons to trace their tangled branches. Cajal recognized what Golgi did not: that each neuron is a distinct cell, separate from every other one. A neuron sends signals down tendrils known as axons. A tiny gap separates the ends of axons from the receiving ends of neurons, called dendrites. Scientists would later discover that axons dump a cocktail of chemicals into the gap to trigger a signal in the neighboring neuron.


JEFF LICHTMAN, a neuroscientist, is the current Ramón y Cajal Professor of Arts and Sciences at Harvard, carrying Cajal's project into the 21st century. Instead of making pen-and-ink drawings of neurons stained by hand, he and his colleagues are creating extremely detailed three-dimensional images of neurons, revealing every bump and stalk branching from them. By burrowing down to the fine structure of individual nerve cells, they may finally get answers to some of the most basic questions about the nature of the brain. Each neuron has on average 10,000 synapses. Is there some order to their connections to other neurons, or are they random? Do they prefer linking to one type of neuron over others?

To produce the images, Lichtman and his colleagues load pieces of preserved mouse brain into a neuroanatomical version of a deli meat slicer, which pares off layers of tissue, each less than a thousandth the thickness of a strand of human hair. The scientists use an electron microscope to take a picture of each cross section, then use a computer to order them into a stack. Slowly a three-dimensional image takes shape—one that the scientists can explore as if they were in a submarine traveling through an underwater kelp forest.

"Everything is revealed," says Lichtman.

The only problem is the sheer enormity of "everything." So far the largest volume of a mouse's brain that Lichtman and his colleagues have managed to re-create is about the size of a grain of salt. Its data alone total a hundred terabytes, the amount of data in about 25,000 high-definition movies.

Once the scientists have gathered this information, the really hard work begins: looking






THE GLOW OF MEMORY

When you form a memory, "there's a physical change in the brain," says Don Arnold, of the University of Southern California. Red and green dots on the branches extending from this rat neuron show where it contacts other neurons. As the rat forms new memories, new dots appear and old ones vanish.

for the rules that organize the brain's seeming chaos. Recently Lichtman's postdoctoral researcher Narayanan Kasthuri set out to analyze every detail in a cylinder of mouse brain tissue measuring just a thousand cubic microns—a volume 1/100,000 the size of a grain of salt. He selected a region surrounding a short segment of a single axon, seeking to identify every neuron that passed through it.

That minuscule patch of brain turned out to be like a barrel of seething snakes. Kasthuri found a thousand axons and about 80 dendrites, each making about 600 connections with other neurons inside the cylinder. "It's a wake-up call to how much more complicated brains are than the way we think about them," says Lichtman.






JENNIFER ON THE BRAIN

Caltech and UCLA scientists use pictures of celebrities to study how the brain processes what the eyes see. In 2005 they found an individual nerve cell that fired only when subjects were shown pictures of Jennifer Aniston. Another neuron responded only to pictures of Halle Berry—even when she was masked as Catwoman. Follow-up studies suggest that relatively few neurons are involved in representing any given person, place, or concept, making the brain staggeringly efficient at storing information.

IMAGE CREDITS AT NGM.COM/BRAIN



LISTENING IN

How did scientists discover the “Jennifer Aniston neuron”? At UCLA’s Medical Center for Neuroscience electrodes are implanted in the brains of epileptic patients such as Crystal Hawkins. The next time she has a seizure, the electrodes will pinpoint its source, allowing neurosurgeons to target what brain tissue to remove. The electrodes also provide a rare opportunity to eavesdrop on neurons functioning normally, which led to the discovery of nerve cells that respond to specific faces.

THE SECRET TO MANY DISEASES MAY BE HIDING IN THE BRAIN'S GENES, AS THEY SHUT DOWN OR SWITCH ON ABNORMALLY.

Complicated, but not random. Lichtman and Kasthuri discovered that every neuron made nearly all its connections with just one other one, scrupulously avoiding a connection with almost all the other neurons packed tightly around it. "They seem to care who they're connected to," Lichtman says.

Lichtman can't say yet whether this fastidious pattern is a general rule or a feature of just the tiny area of mouse brain he sampled. Even as they scale up the technology, he and his colleagues will need another two years to complete a scan of all 70 million neurons in a mouse. I ask about scanning an entire human brain, which contains a thousand times more neurons than a mouse's.

"I don't dwell on that," he says, with a laugh. "It's too painful."

WHEN AND IF LICHTMAN completes his three-dimensional portrait of the brain, it will reveal much—but it will still be only an exquisitely detailed sculpture. His imaged neurons are hollow models; real neurons are crammed with living DNA, proteins, and other molecules. Each type of neuron uses a distinct set of genes to build the molecular machinery it needs to do its own job. Light-sensitive neurons in the eyes produce photon-catching proteins, for example, and neurons in a region called the substantia nigra produce a protein called dopamine, crucial to our sense of reward. The geography of proteins is essential to understanding how the brain works—and how it goes awry. In Parkinson's disease the substantia nigra neurons produce less dopamine than normal, for reasons that aren't yet clear. Alzheimer's disease scatters tangles of protein through the brain, although scientists have yet to firmly settle on how those tangles give rise to the devastating dementia the disease causes.

A map of the brain's molecular machinery called the Allen Brain Atlas has been generated at the Allen Institute for Brain Science in Seattle, founded ten years ago with funds from Microsoft co-founder Paul Allen. Using the brains of recently deceased people, donated by their families, researchers there use a high-resolution magnetic resonance imaging (MRI) scan of each

brain as a three-dimensional road map, then slice it into microscopically thin sections that are mounted on glass slides. They then douse the sections with chemicals that reveal the presence of active genes harbored in the neurons.


So far the researchers have mapped the brains of six people, charting the activity of 20,000 protein-coding genes at 700 sites within each brain. It's a colossal amount of data, and they've only begun to make sense of it. The scientists estimate that 84 percent of all the genes in our DNA become active somewhere in the adult brain. (A simpler organ like the heart or pancreas requires far fewer genes to work.) In each of the 700 sites the scientists studied, the neurons switch on a distinct collection of genes. In a preliminary survey of two regions of the brain, the scientists compared a thousand genes that were already known to be important for neuron function. From one person to the next, the areas of the brain where each of those genes was active were practically identical. It looks as if the brain has a finely grained genetic landscape, with special combinations of genes carrying out tasks in different locations. The secret to many diseases of the brain may be hiding in that landscape, as certain genes shut down or switch on abnormally.

All the information from the Allen Brain Atlas is posted online, where other scientists can navigate through the data with custom-made software. Already they're making new discoveries. A team of Brazilian scientists, for instance, has used it to study a devastating brain disorder called Fahr's disease, which calcifies regions deep inside the brain, leading to dementia. Some cases of Fahr's disease had already been linked to a mutation in the gene *SLC20A2*. In the atlas the scientists found that *SLC20A2* is most active in precisely the regions that are targeted by the disease. They also found a network of other genes that is most active in the same areas, and now they're trying to find out whether they're involved in Fahr's disease as well.

OF ALL THE NEW WAYS of visualizing the brain, perhaps the most remarkable is one invented by Stanford neuroscientist and psychiatrist


INTIMATE VIEW

Two hundred sections of a piece of mouse brain, each less than 1/1,000 the thickness of a human hair, are readied to be imaged by an electron microscope. Arranged in stacks, 10,000 such photomicrographs form a 3-D model no larger than a grain of salt (in tweezers). A human brain visualized at this level of detail would require an amount of data equal to all the written material in all the libraries of the world.





A VOYAGE INTO THE
BRAIN




Thought, feeling, sense, action—all derive from unimaginably complex interactions among billions of nerve cells. A section of mouse brain (above) no larger than a grain of salt serves as a window into this hidden world.



ANATOMY OF A NERVE CELL



Cell body
The neuron's powerhouse, responsible for generating energy and synthesizing proteins



Dendrites
Branching projections that pick up signals from other neurons

An image a millimeter high—less than four-hundredths of an inch—shows nerve cells arranged in orderly layers and columns.

*The 1-mm image is from a different data set than the other images.



A section a hundredth the size reveals blood vessels among pink cell bodies and a tangle of their axons and dendrites.

Blood vessels




DEEP BRAIN DIVE

For the first time scientists can visualize how neurons actually connect with one another. The three blocks at right have been colorized but are not an artist's conception: They show, at increasing levels of magnification, real neurons in part of a mouse's brain receiving signals from the face. Technology may soon make possible a similar reconstruction of an entire mouse brain—and eventually of the vastly more complicated architecture of the human brain, opening the way for advances in understanding schizophrenia, depression, and other mental diseases.

HALF THE WORLD'S HARD DRIVES

Visualizing neurons at the level of detail shown in these images requires unprecedented computing power. Producing an image of an entire human brain at the same resolution would consume nearly half the world's current digital storage capacity.

Storage capacity needed to produce mouse brain image
450,000 terabytes




Storage capacity needed to produce human brain image
1.3 billion terabytes

Global digital storage, 2012:
2.7 billion terabytes

JASON TREAT AND KURT MUTCHLER, NGM STAFF; ANTHONY SCHICK, ART: BRYAN CHRISTIE
PHOTO (FLAP): JOSH L. MORGAN, HARVARD UNIVERSITY; ARTHUR WETZEL, PITTSBURGH SUPERCOMPUTING CENTER

SOURCES: JEFF LICHTMAN, HARVARD UNIVERSITY; DANIEL BERGER, MASSACHUSETTS INSTITUTE OF TECHNOLOGY

Ma
thi
sh
de
de
inf
ce
cal




Axon

A long nerve fiber that conducts information from the cell body in the form of an electrical impulse

Axonal terminal


End point of an axon's branches, where electrical impulses are discharged; releases neurotransmitters that carry chemical messages to other cells' dendrites




Magnified again by 100, this section more clearly shows axons (blue) and dendrites (yellow). Budlike dendritic spines receive information from other cells' axons across gaps called synapses.

Glial cells

The glue of the nervous system, supporting, feeding, and protecting neurons




Magnified yet again, this section reveals synaptic vesicles (yellow grains) containing neurotransmitters, which carry chemical messages across synapses, signaling the receiving nerve cell to fire or stop firing.



A CLEAR VIEW

Scientists at Stanford University bathe a mouse brain (far left) in chemicals that remove fats and other molecules, rendering it transparent (left). Proteins can then be added that bind only to certain neurons. Below, a green-glowing protein reveals the ubiquity of a type of neuron that accounts for just one percent of a mouse's brain.



TO SEE THE BRAIN, SCIENTISTS AT STANFORD UNIVERSITY BEGIN BY MAKING IT AS TRANSPARENT AS A GLASS MARBLE.

Karl Deisseroth and his colleagues. To see the brain, they begin by making it disappear.

On my visit to Deisseroth's lab, undergraduate Jenelle Wallace led me to a bench where half a dozen beakers rested in a plastic-foam base. She pulled one out and pointed to a grape-size mouse brain resting at the bottom. I didn't look at the brain so much as through it. It was nearly as transparent as a glass marble.

Needless to say, a normal human or mouse brain is decidedly opaque, its cells swathed in fat and other compounds that block light. That's why Cajal had to dye neurons in order to see them and why Lichtman's group and the Allen Institute scientists slice the brain into thin sections to gain access to its inner depths. The advantage of a transparent brain is that it allows us to peer into its workings while the organ is still intact. Along with postdoctoral researcher Kwanghun Chung, Deisseroth came up with a recipe to replace the light-scattering compounds in the brain with transparent molecules. After making a mouse brain transparent in this way, they can then douse the brain with glowing chemical labels that latch on to only certain proteins or trace a specific pathway connecting neurons in distant regions of the brain. The scientists can then wash out one set of chemicals and add another that reveals the location and structure of a different type of neuron—in effect untangling the Gordian knot of neural circuits one by one. “You don't have to take it apart to show the wiring,” says Deisseroth.

It's not easy to dazzle neuroscientists, but Deisseroth's method, dubbed CLARITY, has left his colleagues awestruck. “It's pretty badass,” says Christof Koch, the chief scientific officer at the Allen Institute. Wedeen has called the research “spectacular...unlike anything else in the field.”

Because of our shared evolutionary heritage, a clarified mouse brain can reveal a great deal about human brain function. But Deisseroth's ultimate goal is to perform the same transformation with a human brain—a far more difficult

task, not least because a human brain is 3,000 times as large as that of a mouse.

A CLARITY picture showing the location of just one type of protein in just one human brain would create a monstrous heap of data—about two petabytes, or the equivalent of several hundred thousand high-def movies. Deisseroth anticipates that CLARITY may someday help the sort of people he treats in his psychiatric practice, by revealing hidden features of disorders like autism and depression. But for now he's keeping those hopes in check.

“We have so far to go before we can affect treatments that I tell people, Don't even think about that yet,” he says. “It's just a voyage of discovery for now.”

AS REVEALING AS A transparent brain may prove to be, it will still be dead. Scientists need different tools to explore the terrain of living brains. The scanners Wedeen uses to trace white matter patterns can, with different programming, record the brain in action. Functional magnetic resonance imaging (fMRI) pinpoints regions of the brain recruited during a mental task. Over the past couple of decades fMRI has helped reveal networks involved in all manner of thought processes, from recognizing faces to enjoying a cup of coffee to remembering a traumatic event.

It's easy to be dazzled by fMRI images, which festoon the brain with rainbow blobs. But it's important to bear in mind that those images are actually quite coarse. The most powerful scanners can record activity only down to the scale of a cubic millimeter—a sesame seed's worth of tissue. Within that space, hundreds of thousands of neurons are firing in synchronized patterns, trading signals. How those signals give rise to the larger patterns revealed by fMRI remains mysterious.

“There are ridiculously simple questions about the cortex that we can't answer at all,” says Clay Reid, a former colleague of Jeff Lichtman's at Harvard who moved to the Allen Institute in 2012.

Reid has come to Seattle hoping to answer some of those questions with a grand series of experiments he and his colleagues call Mind-Scope. Their goal is to understand how a large





For more on the mind, tune in to the third season of *Brain Games*, premiering in January on the National Geographic Channel. Check local listings.



NO ROOM FOR ERROR

Removing brain tumors is a risky procedure—surgeons need to excise as much of a tumor as possible without destroying neurons essential for functions such as speech, sight, and memory or the connective fibers between them. David Fortin (at center right), a neurosurgeon at the Université de Sherbrooke in Canada, relies on a high-resolution map of a patient's brain to avoid mishaps.





A GUIDED HAND

Scans of one of Fortin's patients revealed that a tumor (red, above) had grown into a region controlling the movement of hands and feet. As he removed parts of the tumor (left), Fortin applied current to the region to determine if neighboring neurons were critical for movement. "There was a lot of motor function still active in this patient," says Maxime Descoteaux, one of the Université de Sherbrooke scientists who made the brain scan. "So the surgeon in this case was more conservative than aggressive."

IF THEIR MODELS ARE ACCURATE, THE RESEARCHERS WILL BE ABLE TO LITERALLY READ THE MIND OF A MOUSE.

number of neurons carry out a complex task.

The function Reid and his colleagues have chosen to decipher is vision. Scientists have been investigating how we see for decades, but they've been able to study it only piecemeal. A neuroscientist might place an electrode in the region of a mouse's brain involved in visual perception and then note whether nearby neurons fire when the animal sees a particular image.

This approach has allowed scientists to map regions of the visual brain that specialize in different tasks, such as detecting the edges of an object or perceiving brightness. But scientists haven't been able to see all those regions work together at once—to learn how the million or so neurons in the visual regions of a mouse's brain instantly put information together into the image of a cat.

Reid and his colleagues are setting out to solve that problem by engineering mice so that their visual neurons will release flashes of light when they fire. The flashes record the neural activity when a mouse sees a specific object, be it a cat, a snake, or an appealing piece of cheese. The scientists can then compile the data to create massive mathematical models of vision. If the models are accurate, the researchers will be able to literally read the mind of a mouse.

"Our goal is to reconstruct what the mouse sees," says Reid. "And I think we can do it."

REID'S RESEARCH on mouse vision is another step toward neuroscience's ultimate goal: a comprehensive view of how this vastly complicated organ really works—what the scientists I talked to call a theory of the brain. Such a grand vision is still a long way off, and for the most part, the search for it has yet to change the way doctors treat patients. But there is one line of research—brain-machine interfaces—where the mapping of the mind has started to change people's lives.

When she was 43 years old, Cathy Hutchinson suffered a massive stroke, leaving her unable to move or speak. Lying in her bed in Massachusetts General Hospital, she gradually figured out that her doctors didn't know if she was brain-dead or still aware. Her sister asked Hutchinson

if she could understand her. She managed to answer by moving her eyes up on command.

"It gave me such a relief," Hutchinson tells me 17 years later, "because everybody talked about me as if I was dying."

It is a chilly winter day at her home in eastern Massachusetts, and she's sitting in a wheelchair in the middle of the living room, dressed in a dark green jogging suit and sneakers. Still almost completely paralyzed and unable to speak, she communicates by looking at letters arrayed on a computer monitor bolted to her wheelchair, a camera tracking the movement of a tiny metal disk attached to the center of her eyeglasses.

Near the top of the brain is a region called the motor cortex, where we generate commands to move our muscles. For more than a century we've known that each part of the cortex corresponds to a particular area of the body. When people like Hutchinson become paralyzed, the motor cortex often remains intact, but it can't communicate with the rest of the body, because its connections have been destroyed. John Donoghue, a neuroscientist at Brown University, wanted to find a way to help people with paralysis by tapping into the signals from their motor cortex. Perhaps they could eventually learn to type on a computer or operate a machine merely with their thoughts. Donoghue spent years developing an implant and testing the device on monkeys. Once he and his colleagues knew it was safe, they were ready to start working with human patients.

One of them was Hutchinson. In 2005 surgeons at Rhode Island Hospital drilled a hole the size of a poker chip in her skull and inserted the sensor for Donoghue's device. About the size of a ladybug, the sensor contained a hundred miniature needles, which, pressing into Hutchinson's motor cortex, recorded the signals from nearby neurons. A set of wires anchored to this device passed through the hole in her skull and led to a metal connector sitting on her scalp.

After her surgery had healed, the Brown University researchers plugged Hutchinson's implant into a cable that relayed signal patterns from her brain to a cart of computers they wheeled into her room. As a first step, the scientists trained



BY THOUGHT ALONE

A rhesus macaque walks with the aid of a pneumatically powered exoskeleton controlled by a computer reading signals from electrodes implanted in the monkey's motor cortex. Miguel Nicolelis and colleagues at Duke University are developing similar devices that could allow paralyzed humans to walk again.

the computers to recognize signals in her motor cortex and use them to move a computer cursor around a screen. This was achieved the first time she tried because they had learned how to translate patterns of brain activity into movements. Two years later they coupled a robotic arm to the computers, refining a program that could interpret Hutchinson's brain signals to move the arm forward and back, to raise it up and down, and to open its robotic fingers and squeeze them shut.

After just a few sessions Hutchinson, the computer, and the robotic arm had become a team. "It felt natural," she tells me. So natural that one day she reached out for a cinnamon latte, grabbed it, and brought it to her lips to drink.

"Cathy's smile when she put down that drink—that's everything," Donoghue says.


Today Donoghue and other scientists are building on that success, hoping to create human-machine interfaces that will be powerful, safe, and easy. At Duke University Miguel Nicolelis has been experimenting with exoskeletons that strap on to the body. Signals from the brain control each limb. Already he has gotten monkeys to control full-body exoskeletons. If all goes well, a paraplegic wearing a simpler version of the device will deliver the opening kick at the 2014 World Cup in Nicolelis's native Brazil.

"Eventually brain implants will become as common as heart implants," says Nicolelis. "I have no doubt about that."

When it comes to the brain, predicting the future is a tricky game. Advances in the past have inspired giddy expectations that in many cases have not been met. "We can't tell a schizophrenic brain from an autistic brain from a normal brain," says Christof Koch. But the research that's going on now, he believes, is moving neuroscience to a remarkable new stage. "I think we can begin to put the pieces together." □

BIONIC BRAIN

People with spinal cord injuries can't move because the brain and body no longer communicate. Scientists hope to restore motion with a mechanical skeleton controlled by the wearer's thoughts. It's a daunting challenge: Hundreds of sensors must be implanted in the brain to send commands to the exoskeleton. Signals must also travel in reverse, from touch sensors telling the brain where the body is in space.




Electrodes the width of a human hair are arranged in arrays like bristles in a toothbrush. Experiments on monkeys (opposite page) use four arrays to monitor 2,000 neurons. Many more would be needed for a human to walk.

1 Multiple electrode arrays send signals to a central processing unit in a helmet, which compiles signals into coherent commands.

2 Commands are transmitted wirelessly to a backpack computer that coordinates the complex motions needed to walk.

3 Tiny motors on the exoskeleton pick up computer commands to move joints and limbs.

4 Touch sensors provide feedback from the environment.



To sense where the body is in space, the exoskeleton is dotted with sensors that pick up texture, movement, and pressure through a plastic covering, much like a touch screen. These signals are transmitted back to the brain.

JASON TREAT, NGM STAFF;
ANTHONY SCHICK

ART: BRYAN CHRISTIE

SOURCES: MIGUEL NICOLELIS,
DUKE UNIVERSITY; GORDON
CHENG, INSTITUTE FOR
COGNITIVE SYSTEMS,
TECHNISCHE UNIVERSITÄT
MÜNCHEN, GERMANY